

From: "Zhen, Davis"
To: "Young, Howard S." <younghs@cdmsmith.com>
Date: 3/28/2018 8:20:47 PM
Subject: Re: Revised surface sediment docs

No, I have not received that yet.

Thanks,

Sent from my iPhone, please excuse typos

Davis Zhen, Manager
Environmental Cleanup Unit 2
Office of Environmental Cleanup
[1200 Sixth Avenue Suite 900](#)
M/S ECL – 122, [Seattle, WA 98101](#)
Tel: [\(206\) 553-7660](tel:(206)553-7660)
Cell: [\(206\) 437-5826](tel:(206)437-5826)

On Mar 28, 2018, at 6:00 PM, Young, Howard S. <younghs@cdmsmith.com> wrote:

Sean and Davis,

Have you received any news about the revised HASP Addendum and FSP?

We learned at the kickoff meeting today that they are planning to work through the weekend on surface sediment sampling. We also heard that they may not start sampling until Friday due to a delay with an access agreement. They are planning to just test out GPS equipment, vessels, and do man overboard training tomorrow.

Our plan at this point is to have staff oversee activities tomorrow and Friday. Depending how the work proceeds on Friday we would decide whether to have Jason Silvertooth and Andy Greazel continue oversight of both sampling vessels over the weekend or just resume it Monday. What are your thoughts on this?

Thanks,

Howard S. Young, LG | CDM Smith
14432 SE Eastgate Way, Suite 100 | Bellevue, WA 98007-6493
T: 425.519.8300 | Direct 425.519.8351 | Cell 206.491.4663 | younghs@cdmsmith.com | www.cdmsmith.com

From: Zhen, Davis [<mailto:Zhen.Davis@epa.gov>]
Sent: Wednesday, March 28, 2018 4:43 PM
To: Young, Howard S. <younghs@cdmsmith.com>; Coffey, Scott <CoffeySE@cdmsmith.com>
Cc: Sheldrake, Sean <sheldrake.sean@epa.gov>
Subject: RE: Revised surface sediment docs

Thank you Howard.

Thanks,

Davis Zhen
Environmental Cleanup Unit 2
Office of Environmental Cleanup
1200 Sixth Avenue Suite 900
M/S ECL – 122, Seattle, WA 98101
Tel: (206) 553-7660
Cell: (206) 437-5826

From: Young, Howard S. [<mailto:younghs@cdmsmith.com>]
Sent: Wednesday, March 28, 2018 3:46 PM
To: Zhen, Davis <Zhen.Davis@epa.gov>; Scott Coffey <coffeyse@cdmsmith.com>
Cc: Sheldrake, Sean <sheldrake.sean@epa.gov>
Subject: RE: Revised surface sediment docs

Davis,
We can backcheck the documents as soon as we get them from you this afternoon/evening let you know if there are any unresolved comments.
Our oversight staff are still at the field kickoff meeting but I assume they will be able to print out the final version of the FSP and HASP addendum in the morning prior to going to contractors tailgate H&S meeting.

Howard S. Young, LG | CDM Smith
14432 SE Eastgate Way, Suite 100 | Bellevue, WA 98007-6493
T: 425.519.8300 | Direct 425.519.8351 | Cell 206.491.4663 | younghs@cdmsmith.com | www.cdmsmith.com

From: Zhen, Davis [<mailto:Zhen.Davis@epa.gov>]
Sent: Wednesday, March 28, 2018 2:55 PM
To: Coffey, Scott <CoffeySE@cdmsmith.com>; Young, Howard S. <younghs@cdmsmith.com>
Cc: Sheldrake, Sean <sheldrake.sean@epa.gov>
Subject: Revised surface sediment docs

Scott and Howard,

Just got off the call with Ken and was informed that they are making all of the requested changes per our call this morning. As such, they will likely send the revised/RLSO documents back to us around 5pm today. They are hoping to hear back from me today so they can get in water, but please let me know if the review cannot take place by the end of the day today.

Thanks,

Davis Zhen
Environmental Cleanup Unit 2
Office of Environmental Cleanup
1200 Sixth Avenue Suite 900
M/S ECL – 122, Seattle, WA 98101
Tel: (206) 553-7660
Cell: (206) 437-5826
